DETAIL OF VERTICAL SUPPORT FOR FREE STANDING ENDS OF LOW TILE PARTITIONS, ALL FLOORS

Notes:-
Slab Shown thus ⟷ Indicates 4" Slab ¼"-12" o.c.
Section shown thus 2 ⌊ ⌋ 2 (S5) Indicates that section 2-2 is drawn on Sheet S5.
Provide Continuous 6"×3½"×⅜" Shelf Angle around perimeter of Buildings Bolted to Spandrel Beams with ¾" ϕ Bolts 2'-0" o.c.

◊ REVISED AS CONSTRUCTED 1-16-1950

APPROVED
Commonwealth of Pennsylvania
DEPARTMENT OF WELFARE
BUREAU OF INSTITUTIONAL MANAGEMENT.
Architect [signature] Date 3-3-47
Secretary [signature] Date 3-22-47

HORACE B. NICHOLSON
CONSULTING ENGINEER
223 BROAD ST. STATION
PHILADELPHIA · PENNA.

APPROVED
Commonwealth of Pennsylvania
Department of Labor & Industry
Bureau of Inspection
Buildings Section
Checked By H.H.S.
Approved By R.F. Ross Chief
Approval Date 4-3-47

REVISED

APPROVED [signature] SECRETARY OF PROPERTY & SUPPLIES
APPROVED [signature] CHIEF CONSTRUCTION Architect OF PROPERTY & SUPPLY
APPROVED
SUBMITTED [signature] (ARCHITECT)
ACCEPTED [signature] (CONTRACTOR)

SECOND FLOOR CONSTRUCTION

ACTIVE THERAPY BUILDING N-3
FOR THE
PHILADELPHIA STATE HOSPITAL
PHILADELPHIA PENNSYLVANIA
GEORGE W. PEPPER, JR. REGISTERED ARCHITECT
225 SO. 15 TH. ST. PHILADELPHIA PA.

DATE	COMMONWEALTH OF PENNA.	SHEET NO.
4-1-47	JAMES H. DUFF, GOVERNOR	S3
SCALE ⅛"=1'-0"	DEPT. PROPERTY & SUPPLIES C. M. WOOLWORTH SECRETARY HARRISBURG, PENNSYLVANIA	

3-6-3