PLAN OF MACHINE ROOM FLOOR
Top of Slab Elev. 154.33'
Top of Beams Elev. 153.00'

SECTION 309-309

SECTION 310-310

SECTION 311-311 As Shown
SECTION 312-312 Opp. Hand

SECTION 313-313

SECTION 308-308

SECTION 314-314

PLAN OF FAN ROOM ROOF
Top of Slab Elev. 161.83'

SECTION 307-307
(See also Arch. Details - Sht. No. 4)

SECTION 303-303

SECTION 304-304

SECTION 305-305

SECTION 306-306

SECTION 300-300

SECTION 301-301 As Shown
SECTION 302-302 Opp. Hand

Note: Reinforcing in Monitor Walls
$\frac{5}{8}$"ϕ 12"o.c. e.w. in ℄ of Wall

Concrete 28 day strength 3000 Lbs. per sq. in. min.

REVISED

APPROVED — SECRETARY OF PROPERTY & SUPPLIES
APPROVED — CHIEF ENGINEER OF PROPERTY & SUPPLIES
APPROVED
SUBMITTED — ARCHITECT
ACCEPTED — GEN. CONTRACTOR
ACCEPTED — CONTRACTOR

ROOF FRAMING PLAN

DIETARY BUILDING N-5
PHILADELPHIA STATE HOSPITAL
PHILADELPHIA, PENNA.

H. A. KULJIAN & CO. — ARCHITECTS & ENGINEERS
1518 WALNUT ST. PHILADELPHIA, PENNA.

DATE 2/13/54
SCALE $\frac{1}{8}$"=1'-0"

COMMONWEALTH OF PENNA.
EDWARD MARTIN - GOVERNOR
DEPT. OF PROPERTY & SUPPLIES
CHESTER M. WOOLWORTH - SECRETARY
HARRISBURG, PENNA.

SHEET NO. S3

DRAWN BY MWR CHECKED BY D.L.A.